




Joseph Lazio
Jet Propulsion Laboratory,
California Institute of Technology

© 2012 California Institute of Technology. Government sponsorship acknowledged.


(Apollo 8)

## Proto-planetary Disks


- What we know (or think we know)
  - All of the planets in the solar system nearly in a plane.
  - Disks of dust and gas detected around nearby forming stars.
  - Simulations of protoplanetary disks show planets growing.
- Ergo, planets form in disks of material around stars.




### Simulation of Planet Formation



Proto-planetary Disks From Dust to Planets (what we think happens ...)






(From D. Wilner)

#### Proto-planetary Disks

- All of the planets in the solar system nearly in a plane.
- Disks of dust and gas detected around nearby forming stars.
- Ergo, planets form in disks of material around stars.
- Want to understand how planets grow in proto-planetary disks
- ➤ Disks are **opaque** to visible light.
- ➤ Want observations at 5 GHz to 1 THz → mm- and cmwavelength radiation, comparable to size of particles.




# Radio Astronomy Service and Planet Formation

Expanded Very Large Array
(1 GHz to 50 GHz; US-Canada-Mexican partnership)

Atacama Large Millimeter/submillimeter Array (100 GHz to 1 THz; US-European-Japanese partnership)







**EVLA observations**: ongoing—60+ nearby stars with disks (example shows C-band observations of disk around star DG Taurus, illustrating decimeter-sized particles in the disk)

**ALMA status**: in commissioning



# Formation of Planets and the Radio Spectrum



Understanding the formation of planets, and how we came to be, requires

- Infrared telescopes in space;
  - ... and X-ray telescopes in space?
    - E-S: 2110–2120 MHz, 7145–7190 MHz, 34.2–34.7 GHz
    - S-E: 2290–2300 MHz, 8400–8450 MHz, 31.8–32.3 GHz
- Telescopes on the ground operating from 5 GHz to 1 THz.

